APPROVAL SHEET

CPU Coolers

SALES MODEL NO: SP12025S3H3/4-PCI

ENGINEER NO: SF12025S3H5W3-PCI

Article No. : SP-AP-SC-A168 **Issue Date : June 14, 2008** **Version : A/0**	**Audited by** **William**

Checked by **Along**	**Drafted by** **Jimmy**

Spire Corp.

Tel.: +86-755-33823311 Fax: +86-755-33823314

Http://www.spirecoolers.com
Http://www.spirepower.com
Http://www.spire-corp.com

Approval Sheet Revisement Record

SALES MODEL NO: SP12025S3H3/4-PCI

ENGINEER NO: SF12025S3H5W3-PCI

Article No: SP-AP-SC-A168

Version	Revised Chapter	Description	Revised Date	Drafted by	Audited by	ECN No.
A/0	N/A	First Version	2008-6-14			N/A

Contents

1. Main Components List……4

2. Multi views and images……5

3. Fan Drawing……6

3. Airflow Image…… 7

4. Fan Specification…… .8

5. Correlative Certification compliance…….....9

1. Main Components List

Item	Components	Part No.	Quantity	Material
1	FAN	0212025S3H5W3-PCI	1PCS	Plastic
2	fan speed adjustor	048025PM01	1PCS	N/A
3	rubber screw	1080251403	4PCS	Plastic

1. Multi views and images

Picture 1 : Full view

Picture 2 : Top view

Picture 3 : Base view

Picture 4 : Side view

Picture 5：3 Pin-2510+Big4P

Picture 6: Fan Label



Picture 7：Fittings

2 . Fan Drawing



3. Airflow Image



4.Fan Specification:

FAN MODEL: SP12025S3H5W3-PCI

1. Rated Voltage	: 12VDC
2. Operating Voltage Range	: 10.2 ~13.8VDC
3. Max Rated Speed	: 2400RPM ± 10%
4. Max Static Pressure	: 3.65 mm-H2O
5. Max Air Flow	: 99.6 CFM
6. Max Rated Current	: 0.4 AMP
7. Max Rated Power	: 4.8 WATTS
8. Noise Level	: 19~34 dB(A)
9. Operating Temperature	: -10 to 70 Deg. C
10. Storage Temperature	: -40 to 70 Deg. C
11. Bearing System	: Sleeve Bearing
12.Life hours	: 30,000
13. Connector	: 3 Pin-2510+Big4P
14. Weight	: 138.0 g

5. Correlative Certification compliance

Item #	Certification type	Certification Number	Certification listing	Remark
1	EMC	BCT07LC-808E	www.bontek.com.cn	
2	LVD	BCT07LC-808S	www.bontek.com.cn	
3	FCC	ASZ08041007FK	www.aovt.com	
4	ROHS	BCT08AC-002R	www.bontek.com.cn	
5	TUV	R 501275070001	www.sz.chn.tuv.com	